




Flexible Squeeze Tube Lengths / categorized by diameter

These lengths and diameters are all currently available at JSN.

For custom lengths & sizes, please contact our sales representatives.

Mono layer tubes are presently available in LDPE, MDPE, or HDPE.


CO-EX tubes available in 1 3/16" / 1 3/8" / 1 1/2" / and 2" diameters




Orifice Sizes (to scale):

- .060" ● 1/16" 1.52mm
- .090" ● 3/32" 2.29mm
- .125" ● 1/8" 3.18mm
- .187" ● 3/16" 4.75mm
- .250" ● 1/4" 6.35mm
- .320" ● 5/16" 8.13mm
- .375" ● 3/8" 9.53mm
- .500" ● 1/2" 12.7mm


Material: LDPE, MDPE, HDPE
 Head: M-5 / with conduction seal
 Orifice: .060 / .090 / .125 / .187"
 Cap: 1" Smooth Wall Stand Up




Material: CO-EX, LDPE, MDPE, HDPE
 Head: M-8 / with conduction seal
 Orifice: .060 / .090 / .125 / .187 / .250 / .320"
 Cap: 1 3/8" Smooth Wall Stand Up / Flip Top (.125 / .250 orifice)



Material: CO-EX, LDPE, MDPE, HDPE
 Head: M-8 / with conduction seal
 Orifice: .060 / .090 / .125 / .187 / .250 / .320"
 Cap: 1 3/16" Smooth Wall Stand Up / Flip Top (.125 / .250 orifice)



Material: CO-EX, LDPE, MDPE, HDPE
 Head: 22-400 / with conduction seal
 Orifice: .060 / .090 / .125 / .187 / .250 / .375 / .500"
 Cap: 2" Smooth Wall Stand Up / Flip Top (.125 or .250 orifice)



Material: CO-EX, LDPE, MDPE, HDPE
 Head: 22-400 / with conduction seal
 Orifice: .060 / .090 / .125 / .187 / .250 / .375 / .500"
 Cap: 1 1/2" Smooth Wall Stand Up / Flip Top (.125 / .187 / .250 orifice)